



State DC:0-5 Crosswalks

This table compiles crosswalks from disorders in the [DC:0-5](#) to corresponding disorders in the DSM-5 and ICD-10, as well as to state Medicaid-billable ICD-10 diagnostic codes. The first three columns crosswalk DC:0-5 disorders to their corresponding DSM-5 and ICD-10 disorders. The next columns show information from Zero to Three and state DC:0-5 crosswalks and indicate the ICD-10 diagnostic code each state uses in its Medicaid billing system. Hyperlinks to the states' crosswalks (where available online) are in the table's first row. This table will be updated regularly.

| DC:0-5 Disorder Name | DSM-5 Disorder Name | ICD-10 Disorder Name | ICD-10 Code (from Zero to Three Crosswalk) | Colorado Billable ICD-10 Code | Minnesota Billable ICD-10 Code | Minnesota Addition: Diagnosis qualifies for Part C Early Intervention eligibility? | Nevada Billable ICD-10 Code | North Carolina Billable ICD-10 Code | Oregon Billable ICD-10 Code | Tennessee Billable ICD-10 Code | Washington Billable ICD-10 Code |
|--|--|---|--|---|--|--|---|---|---|--|---|
| Neurodevelopmental Disorders | | | | | | | | | | | |
| Autism Spectrum Disorder | Autism Spectrum Disorder | Childhood Autism | F84.0 | Not billable | F84.0 | Yes | F84.0 | F84.0 | F84.0, F84.3-F84.9 | F84.0 | F84.0 |
| Early Atypical Autism Spectrum Disorder | Other Specified Neurodevelopmental Disorder | Pervasive Developmental Disorder, Unspecified | F84.9 | Not billable | F84.0 | Yes | F84.9 | F84.9 | F84.9 | F84.9 | F84.8, F84.9 |
| Attention Deficit/Hyperactivity Disorder | Attention Deficit/Hyperactivity Disorder | Disturbance of Activity and Attention | F90.1 | F90.1 | F90.1 | No | F90.9 | F90.1 | F90.0 - F90.02 | F90. | F90.0, F90.1, F90.2, F90.8, F90.9 |
| Overactivity Disorder of Toddlerhood | Attention Deficit/Hyperactivity Disorder, predominantly hyperactive-impulsive presentation | Disturbance of Activity and Attention | F90.1 | F90.1 | F90.1 | Yes | F90.9 | F90.1 | F90.9 | F90.1 | F98.8, F98.9 |

| DC:0-5 Disorder Name | DSM-5 Disorder Name | ICD-10 Disorder Name | Zero to Three | Colorado | Minnesota | Minnesota: Part C eligible | Nevada | North Carolina | Oregon | Tennessee | Washington |
|-------------------------------------|---|---|---------------|--------------|-----------|----------------------------|--------|----------------|--------------|-----------|---------------|
| Global Developmental Delay | Global Developmental Delay | Other Disorders of Psychological Development, Global Developmental Delay | F88 | Not billable | (F88) | Yes | F88 | F88 | F84.8 | F88 | F88 |
| Developmental Language Disorder | Language Disorder | Developmental Disorder of Speech and Language, Unspecified | F80.9 | Not billable | (F88) | Yes | F80.9 | F80.1 | Not billable | F80.9 | F80.89, F80.9 |
| Developmental Coordination Disorder | Developmental Coordination Disorder | Specific Developmental Disorder of Motor Function (Developmental Coordination Disorder) | F82 | Not billable | (F88) | Yes | F82 | F82 | Not billable | F82 | F82 |
| Other Neurodevelopmental Disorder | Unspecified Neurodevelopmental Disorder | Unspecified Disorder of Psychological Development | F89 | Not billable | (F88) | Yes | F88 | F89 | Not billable | F89 | F89 |
| Sensory Processing Disorders | | | | | | | | | | | |
| Sensory Over-Responsivity Disorder | Other Specified Neurodevelopmental Disorder | Other Disorders of Psychological Development | F88 | F93.8 | F84.8 | Yes | F88 | | Not billable | F88 | F88 |
| Sensory Under-Responsivity Disorder | Other Specified Neurodevelopmental Disorder | Other Disorders of Psychological Development | F88 | F93.8 | F84.8 | Yes | F88 | | Not billable | F88 | F88 |
| Other Sensory Processing Disorder | Other Specified Neurodevelopmental Disorder | Other Disorders of Psychological Development | F88 | F93.8 | F84.8 | Yes | F88 | | Not billable | F88 | F88 |
| Anxiety Disorders | | | | | | | | | | | |
| Separation Anxiety Disorder | Separation Anxiety Disorder | Separation Anxiety Disorder of Childhood | F93.0 | F93.0 | F93.0 | Yes | F93.0 | F93.0 | F93 | F93.0 | F93.0 |

| DC:0-5 Disorder Name | DSM-5 Disorder Name | ICD-10 Disorder Name | Zero to Three | Colorado | Minnesota | Minnesota: Part C eligible | Nevada | North Carolina | Oregon | Tennessee | Washington |
|--|--|--|---------------|----------|-----------|----------------------------|--------|----------------|----------------------------|-----------|---------------------|
| Social Anxiety Disorder (Social Phobia) | Social Anxiety Disorder | (Social Phobia) Social Anxiety Disorder of Childhood | F93.2 | F93.2 | F40.10 | Yes | F40.10 | F93.2 | F40.10 | F93.2 | F40.10, F40.11 |
| Generalized Anxiety Disorder | Generalized Anxiety Disorder | Generalized Anxiety Disorder | F41.1 | F41.1 | F41.1 | Yes | F41.1 | F41.1 | F41.1 | F41.1 | F41.1 |
| Selective Mutism | Selective Mutism | Selective Mutism | F94.0 | F94.0 | F94.0 | No | F94.0 | F94.0 | F94.0 | F94.0 | F94.0 |
| Inhibition to Novelty Disorder | Other Specified Anxiety Disorder | Other Specified Anxiety Disorder | F41.8 | F41.8 | F41.8 | Yes | F41.8 | F41.8 | F41.8 | F41.8 | F41.8 |
| Other Anxiety Disorder of Infancy/Early Childhood | Other Specified Anxiety Disorder | Other Specified Anxiety Disorder | F41.8 | F41.8 | F41.8 | No | F41.8 | F41.8 | F41.8 | F41.8 | F41.9 |
| Mood Disorders | | | | | | | | | | | |
| Depressive Disorder of Early Childhood | Major Depressive Disorder | Depressive Episode | F32 | F32 | F32.1 | Yes | F32.9 | | F32.2, F32.1, F32.0, F34.1 | F32 | F32.0, F32.1, F32.2 |
| Disorder of Dysregulated Anger and Aggression of Early Childhood | Disruptive Mood Dysregulation Disorder | Other Persistent Mood Disorders | F34.8 | F34.8 | F32.89 | Yes | F34.81 | F34.8 | F34.89 | F34.8 | F34.89 |
| Other Mood Disorder of Early Childhood | Unspecified Depressive Disorder | Unspecified Mood Disorder | F39 | F39 | F32.89 | Yes | F39 | | F39 | F39 | F39 |
| Obsessive-Compulsive and Related Disorders | | | | | | | | | | | |
| Obsessive-Compulsive Disorder | Obsessive-Compulsive Disorder | Obsessive-Compulsive Disorder | F42.1 | F42.1 | F42.2 | No | F42.9 | F42.1 | F42.2 | F93.0 | F42.2 |
| Tourette's Disorder | Tourette's Disorder | Tourette's Disorder | F95.2 | F95.2 | F95.2 | No | F95.2 | F95.2 | F95.2 | F93.2 | F95.2 |

| DC:0-5 Disorder Name | DSM-5 Disorder Name | ICD-10 Disorder Name | Zero to Three | Colorado | Minnesota | Minnesota: Part C eligible | Nevada | North Carolina | Oregon | Tennessee | Washington |
|--|--|--|---------------|----------|-----------|----------------------------|--------------|----------------|--------------------|-----------|---------------------------|
| Motor or Vocal Tic Disorder | Persistent (Chronic) Motor or Vocal Tic Disorder | Chronic Motor or Vocal Tic Disorder | F95.1 | F95.1 | F95.1 | No | F95.1 | F95.1 | F95.0-F95.1, F95.9 | F41.1 | F95.1 |
| Trichotillomania | Trichotillomania | Trichotillomania | F63.3 | F63.3 | F63.3 | No | F63.3 | F63.3 | F63.3 | F94.0 | F63.3 |
| Skin Picking Disorder of Infancy/Early Childhood | Excoriation (Skin-Picking) Disorder | Factitial Dermatitis, Neurotic Excoriation | L98.1 | F42.8 | F42.4 | No | F42.4 | L98.1 | L98.1 | F41.8 | F42.4 |
| Other Obsessive Compulsive and Related Disorders | Unspecified Obsessive-Compulsive and Related Disorder | Obsessive-Compulsive Disorder, Unspecified | F42.9 | F42.9 | F42.8 | No | F42.8 | | F42.9 | F41.8 | F42.8, F42.9 |
| Sleep, Eating, and Crying Disorders | | | | | | | | | | | |
| Sleep Onset Disorder | Insomnia Disorder | Nonorganic Insomnia | F51.0 | F51.0 | F51.8 | No | Z73.810 | F51.0 | Not billable | F51.0 | Z73.810, Z73.811, Z73.812 |
| Night Waking Disorder | Insomnia Disorder | Nonorganic Insomnia | F51.0 | F51.0 | F51.8 | No | G47.20 | F51.0 | Not billable | F51.0 | Z73.810, Z73.811, Z73.812 |
| Partial Arousal Sleep Disorder | Non-Rapid Eye Movement Sleep Arousal Disorders - Sleep terror type | Sleep Terrors | F51.4 | F51.4 | F51.4 | No | F51.4, F51.3 | F51.4 | Not billable | F51.4 | Z73.810, Z73.811, Z73.812 |
| Nightmare Disorder of Early Childhood | Nightmare Disorder | Nightmares | F51.5 | F51.5 | F51.5 | No | F51.5 | F51.5 | Not billable | F51.5 | Z73.810, Z73.811, Z73.812 |
| Other Sleep Disorder of Infancy/Early Childhood | | Behavioral insomnia of childhood, unspecified type | | | | | | | | | Z73.819 |

| DC:0-5 Disorder Name | DSM-5 Disorder Name | ICD-10 Disorder Name | Zero to Three | Colorado | Minnesota | Minnesota: Part C eligible | Nevada | North Carolina | Oregon | Tennessee | Washington |
|---|---|---|---------------|----------|-----------|----------------------------|--------|----------------|--------------|-----------|----------------|
| Overeating Disorder | Unspecified Feeding or Eating Disorder | Overeating Associated with Other Psychological Disturbances | F50.4 | F50.4 | F50.81 | No | F50.89 | | F50.9 | F50.4 | F50.89, F50.81 |
| Undereating Disorder | Unspecified Feeding or Eating Disorder | Other Eating Disorders | F50.8 | F50.8 | F50.82 | No | F50.89 | | F50.89 | F50.8 | F50.82 |
| Pica | Pica | Pica of Infancy and Childhood | F98.3 | F98.3 | F98.3 | No | F98.3 | | F98.3 | F98.3 | F98.3 |
| Rumination | Rumination Disorder | Feeding Disorders of Infancy and Early Childhood / Rumination Disorder of Infancy | F98.21 | F98.21 | F98.21 | No | F98.21 | | F98.21 | F98.21 | F98.21 |
| Hoarding | Other Specified Feeding and Eating Disorder | Feeding Disorders of Infancy and Early Childhood | F98.2 | F98.2 | F98.29 | No | F98.29 | | F43.8 | F98.2 | F43.89, F50.9 |
| Excessive Crying Disorder | None listed | Nonspecific Symptoms Peculiar to Infancy (Excessive Crying in Infants) | R68.1 | F93.8 | R68.11 | No | R68.11 | | Not billable | R68.1 | F93.8, F93.9 |
| Other Sleep, Eating, and Excessive Crying Disorder of Infancy/Early Childhood | Other Specified Feeding or Eating Disorder | Other Eating Disorders | F50.8 | F50.8 | F50.82 | No | F50.89 | | Not billable | F50.8 | |
| | Other Specified Sleep-Wake Disorder | Other Nonorganic Sleep Disorders | F51.8 | F51.8 | | | F51.8 | | | F51.8 | |

| | | | | | | | | | | | |
|--|---|--|----------------------|-----------------|------------------|-----------------------------------|---------------|-----------------------|--|------------------|--|
| | | Nonspecific Symptoms Peculiar to Infancy (Excessive Crying in Infants) | R68.11 | | R68.11 | No | R68.11 | | | R68.11 | |
| Trauma, Stress, and Deprivation Disorders | | | | | | | | | | | |
| Posttraumatic Stress Disorder | Posttraumatic Stress Disorder for Children 6 Years and Younger | Posttraumatic Stress Disorder | F43.10 | F43.10 | F43.10 | Yes | F43.10 | F43.10 | F43.10 | F43.10 | F43.10 |
| DC:0-5 Disorder Name | DSM-5 Disorder Name | ICD-10 Disorder Name | Zero to Three | Colorado | Minnesota | Minnesota: Part C eligible | Nevada | North Carolina | Oregon | Tennessee | Washington |
| Adjustment Disorder | Adjustment Disorder, Unspecified | Adjustment Disorder - Unspecified | F43.20 | F43.20 | F43.25 | No | F43.20 | F43.20 | F43.21, F43.22, F43.23, F43.24, F43.25, F43.20 | F43.20 | F43.20, F43.21, F43.22, F43.23, F43.24, F43.25, F43.29 |
| Complicated Grief Disorder | Other Specified Trauma- and Stressor-Related Disorder (Persistent Complex Bereavement Disorder) | Other Reactions to Severe Stress | F43.8 | F43.8 | F43.8 | Yes | F43.29 | | Z63.4 | F43.8 | F43.81 |
| Reactive Attachment Disorder | Reactive Attachment Disorder | Reactive Attachment Disorder | F94.1 | F94.1 | F94.1 | Yes | F94.1 | F94.1 | F94.1 | F94.1 | F94.1 |
| Disinhibited Social Engagement Disorder | Disinhibited Social Engagement Disorder | Disinhibited Attachment Disorder of Childhood | F94.2 | F94.2 | F94.2 | Yes | F94.2 | F94.2 | F94.2 | F94.2 | F94.2 |
| Other Trauma, Stress, and Deprivation Disorder | Unspecified Trauma- and Stressor-Related Disorder | Reaction to Severe Stress, Unspecified | F43.9 | F43.9 | F43.8 | Yes | F43.9 | | F43.8 | F43.9 | F43.89, F43.9, F43.0 |

| Relationship Disorder | | | | | | | | | | | |
|---|---------------------------------|--|---------|-------|-------|----|-------|---------|---------|-------|---------------------------|
| Relationship Specific Disorder of Infancy/Early Childhood | Parent-Child Relational Problem | Other Specified Problems Related to Upbringing | Z62.820 | F93.8 | F41.8 | No | F93.8 | Z62.820 | Z62.820 | F93.9 | Z62.820, Z62.821, Z62.822 |
| Notes | | | | | | | | | | | |
| Alabama is in the process of developing its crosswalk | | | | | | | | | | | |
| Michigan developed a crosswalk for the DC:0-3R, the previous version of the DC:0-5: https://mi-aimh.org/wp-content/uploads/2014/09/Technical-Requirement_MDHSS.pdf | | | | | | | | | | | |
| New Mexico uses the crosswalk developed by Zero to Three: https://www.zerotothree.org/resources/1540-crosswalk-from-dc-0-5-to-dsm-5-and-icd-10 | | | | | | | | | | | |

Last updated: October 2022